



**AC20 LS**  
Wood-Aluminium  
Lift-Slide Door



LIMITLESS. VIEW. **LIVING EXPERIENCE.**

Experience limitless spaces with our AC20 LS lift-and-slide door system. Oversized glazing and wide sliding elements with sash heights of up to 3.250 mm enable a visible fusion of the inner room and the living nature outside. Light-flooded living spaces increase the ambience and the quality of living for you and your family.

Designed as a curtain wall construction, we can effortlessly make the frames of the sliding system disappear into the brickwork, thereby increasing the incidence of sunlight and giving you a limitless feeling of freedom.

The AC20 LS lift-and-slide door can be designed in the following schemes:

Scheme A  
Scheme C  
Scheme G  
Scheme K  
Scheme E

Complement the high-quality finish of your wooden frame door with exclusive stainless steel handles - matching the handle series of the wooden-aluminium windows. The robust hardware and matching handles make manual operation of the sliding operation very easy - even for large sash widths of up to 3.000 mm.





Air Infiltration DIN 12207  
Class 4



Driving Rain Resistance DIN 12208  
Class 9A



Windload DIN 12210  
Class C3/B3



Acoustic Control  
up to class 4



Thermal Insulation  
 $\geq 0,90 \text{ W/m}^2\text{K}$




Burglar Resistance  
RC1, RC2N, RC2 (compliant with)

Fully invisible  
fixing of inner  
glazing beads

Types of operation  
Schema A  
Schema C  
Schema G  
Schema K  
Schema E

Weight per  
sash up to 400 kg

Barrier-free Threshold  
 $\leq 20 \text{ mm}$




COMFORT. OPEN.

Combine comfort and safety with our zero-barrier threshold, which even exceeds the barrier-free threshold requirements of 20 mm significantly. Whether wheelchair users or children with a bobby car - our lift-slide systems with smart zero-threshold technology offer a walk-through area without any barrier, making the AC20 LS system particularly suitable for use in nurseries, retirement homes, schools or high-end private buildings.

Bring nature into your home!





FT-VILSTAL GMBH

Headquarters

Hammerbergstrasse 4  
92286 Rieden/Vilshofen  
Germany

phone: +49 151 428 59901

fax: +49 9624 4741169

Mail: [export@ft-vilstal.com](mailto:export@ft-vilstal.com)

Offices

Haßlinghauser Str. 156  
58285 Gevelsberg  
Germany

Industriestraße 1, Building B25

77731 Willstätt  
Germany

Production

Martinshöhe 5  
92277 Hohenburg  
Germany

Kindinger Str. 53

85110 Kipfenberg  
Germany



Telephone:  
01473 677488

Email:  
[hello@okohaus.co.uk](mailto:hello@okohaus.co.uk)

Visit us online:  
[www.okohaus.co.uk](http://www.okohaus.co.uk)

